



740.454.2571

GROUND PROTECTION PRODUCT OVERVIEW BROCHURE







GROUND PROTECTION MATTING

Manufactured from 100% recycled High Density Polyethylene, our ground protection matting solutions are ideal for traffic and pedestrian use within construction, transmission, events, landscaping, or for temporary access.



ALTURNAMAT®

Model # AM48

- Standard 4ft x 8ft size, 86 lbs
- Overall thickness of 0.5 in.
- Load bearing 120 tons*
- Range of sizes available
- Alturnatread[™] cleats on both sides
- VersaMat® surface also available
- Available in black or clear
- Optional hand holes
- WARNING: Below



TRAKMAT®

Model # TM3696

- 3 ft x 8 ft size, 64 lbs
- Overall thickness of 0.5 in.
- Load bearing 90* tons
- 3 sizes options
- Available in black and green
- **WARNING:** Below

CLEARMAT[™]

Model # CM48

- Standard 4ft x 8ft size, 86 lbs
- Overall thickness of 0.5 in.
- Load bearing 120 tons*
- Alturnatread[™] cleats on both sides
- grass death at jobsite

WARNING: This product can expose you to chemicals including Lead, Chromium, Nickel Compounds, and Sulfur Dioxide, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

LIBERTY MAT[™]

Model # LIB48

- Standard 4ft x 8ft size, 77 lbs
- Overall thickness of 0.5 in.
- Load bearing 80 tons*
- Chevron traction®
- Rough finish
- **WARNING:** Below



🔥 WARNING: This product can expose you to chemicals including Lead, Carbon Black, Chromium, Nickel Compounds, and Sulfur Dioxide, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Goss Supply Co. 740.454.2571

